



# Safety Data Sheet

## I. PRODUCT AND COMPANY IDENTIFICATION

**Product Name:** PS DOT3BRKFL12/1Q CANADA  
**Product Code:** PS20BFPC  
**Supplier:** Warren Distribution, Inc.  
727 S. 13th Street  
Omaha, NE 68102  
**Phone Number:** +01 (800) 825-1235 +01 (402) 341-9397  
**Emergency Phone:** CHEMTREC: +1 (800) 424-9300  
International: +01 (703) 527-3887  
**Date of Preparation:** 12/31/2014 4:13:55 PM

## II. HAZARDS IDENTIFICATION

### Acute Health Effects:

**Routes of Entry:** Inhalation, Ingestion, Skin contact, Eye contact  
**Target Organs:** Eyes, Skin, Kidneys  
**Inhalation:** No hazard in normal industrial use.  
**Skin Contact:** Can cause minor skin irritation, defatting, and dermatitis.  
**Skin Absorption:** No absorption hazard in normal industrial use.  
**Eye Contact:** Contact with the eyes may cause moderate to severe eye injury. Eye contact may result in tearing and reddening, but not likely to permanently injure eye tissue. Temporary vision impairment (cloudy or blurred vision) is possible.  
**Ingestion:** No hazard in normal industrial use.

### Chronic Health Effects:

**Carcinogenicity:** Not a carcinogen according to NTP, IARC, or OSHA.  
**Reproductive Toxicity:** No data available to indicate product or any components present at greater than 0.1% may cause birth defects.  
**Mutagenicity:** No data available to indicate product or any components present at greater than 0.1% is mutagenic or genotoxic.

**Potential Health Effects:** See Section 11 for more information.  
**Medical Conditions Aggravated by Exposure:** Skin disease including eczema and sensitization, Eye disease, Kidney disease

## III. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name	CAS #	Range %
Ethanol, 2-(2-(2-butoxyethoxy)ethoxy)-	143-22-6	15 - 40
Ethanol, 2-(2-(2-ethoxyethoxy)ethoxy)-	112-50-5	10 - 30
Diethylene glycol	111-46-6	10 - 30
Ethanol, 2-(2-(2-methoxyethoxy)ethoxy)-	112-35-6	7 - 13
Tetraethylene glycol monobutyl ether	1559-34-8	5 - 10

Components not listed are not physical or health hazards as defined in 29 CFR 1910.1200 (Hazard Communication Standard).

## IV. FIRST-AID MEASURES

**Inhalation:** This material does not present a hazard if inhaled. Remove individual to fresh air after an airborne exposure if any symptoms develop, as a precautionary measure.  
**Eye Contact:** Immediately flush eyes with plenty of water for at least 20 minutes retracting eyelids often. Tilt the head to prevent chemical from transferring to the uncontaminated eye. Get immediate medical attention and monitor the eye daily as advised by your physician.

# Safety Data Sheet

**Skin Contact:** Wash with soap and water. Get medical attention if irritation develops or persists.  
**Ingestion:** No hazard in normal industrial use. Do not induce vomiting. Seek medical attention if symptoms develop. Provide medical care provider with this SDS.  
**Notes to Doctor:** No additional first aid information available.

## V. FIRE FIGHTING MEASURES

---

**Flammability:** Combustible at elevated temperatures  
**Extinguishing Media:** Use alcohol resistant foam, carbon dioxide, or dry chemical when fighting fires. Water or foam may cause frothing if liquid is burning but it still may be a useful extinguishing agent if carefully applied to the surface of the fire. Do not direct a stream of water into the hot burning liquid.  
**Fire and/or Explosion Hazards:** Material may be ignited only if preheated to temperatures above the high flash point, for example in a fire.  
**Fire Fighting Methods and Protection:** Do not enter fire area without proper protection including self-contained breathing apparatus and full protective equipment. Use methods for the surrounding fire.  
**Hazardous Combustion Products:** Carbon monoxide, Carbon dioxide, Nitrogen containing gases

## VI. ACCIDENTAL RELEASE MEASURES

---

**Personal Precautions and Equipment:** No health effects expected from the clean up of this material if contact can be avoided. Follow personal protective equipment recommendations found in Section 8 of this SDS.  
**Methods for Cleanup:** No special spill clean up considerations. Collect and discard in regular trash. Do not flush to sewer.

## VII. HANDLING AND STORAGE

---

**Handling:** Mildly irritating material. Avoid unnecessary exposure.  
**Storage:** Store in a cool dry place. Isolate from incompatible materials.

## VIII. EXPOSURE CONTROLS/PERSONAL PROTECTION

---

**Engineering Controls:** No engineering controls are likely to be required to maintain operator comfort under normal conditions of use.  
**Respiratory Protection:** No respiratory protection required under normal conditions of use.  
**Respirator Type(s):** None required where adequate ventilation is provided. If airborne concentrations are above the applicable exposure limits, use NIOSH/MSHA approved respiratory protection.  
**Eye/Face Protection:** Wear chemically resistant safety glasses with side shields when handling this product. Wear additional eye protection such as chemical splash goggles and/or face shield when the possibility exists for eye contact with splashing or spraying liquid, or airborne material. Do not wear contact lenses. Have an eye wash station available.  
**Skin Protection:** Where use can result in skin contact, practice good personal hygiene and wear impervious gloves. Wash hands and other exposed areas with mild soap and water before eating, drinking, and when leaving work. Where contact is likely, wear chemical resistant gloves, a chemical suit, rubber boots, and chemical safety goggles plus a face shield.  
**Gloves:** Butyl rubber, Natural latex, Polyvinyl chloride

Chemical Name	Occupational Exposure Limits	Value
---------------	------------------------------	-------

## IX. PHYSICAL AND CHEMICAL PROPERTIES

---

**Physical State:** Liquid  
**Colour:** Colorless to pale yellow  
**Odour:** Strong  
**pH:** 8.6  
**Solubility:** Complete; 100%

# Safety Data Sheet

**Water/Oil Partition Coefficient:** Not determined  
**Evaporation Rate:** Not determined  
**Vapor Density:** 6  
**Vapor Pressure:** Not determined  
**Boiling Point (°C):** 260  
**Freezing Point (°C):** Not determined  
**Specific Gravity:** 1.04  
**Bulk Density:** 8.71 Lbs/Gallon

## X. STABILITY AND REACTIVITY

**Stability:** Stable under normal conditions.  
**Conditions to Avoid:** Temperatures above the high flash point of this combustible material in combination with sparks, open flames, or other sources of ignition. Dried product residue (can act as an oxidizer). Impact or high temperatures can cause decomposition  
**Materials to Avoid:** Strong acids Strong oxidizing agents  
**Hazardous Decomposition Products:** Aldehydes

## XI. TOXICOLOGICAL INFORMATION

**Routes of Entry:** Inhalation, Ingestion, Skin contact, Eye contact  
**Ingestion:** Although this product has a low order of acute oral toxicity, aspiration of minute amounts into the lungs during ingestion or vomiting may cause mild to severe pulmonary injury and possibly death.  
**Inhalation:** No hazard in normal industrial use.  
**Absorption:** No absorption hazard in normal industrial use.  
**Eye:** Upon prolonged or repeated contact, can cause moderate to severe eye injury. Eye contact may result in tearing and reddening, but not likely to permanently injure eye tissue. Temporary vision impairment (cloudy or blurred vision) is possible.  
**Skin:** Unlikely to cause irritation even on repeated contact.

<b>Chemical Name</b>	<b>LD50 and LC50</b>
Ethanol, 2-(2-(2-butoxyethoxy)ethoxy)-	Oral LD50 Rat 5300 mg/kg (Source: IUCLID); Dermal LD50 Rabbit 3480 mg/kg (Source: IUCLID)
Diethylene glycol	Dermal LD50 Rabbit 11890 mg/kg (Source: NLM_CIP); Oral LD50 Rat 12565 mg/kg (Source: IUCLID)
3,6,9,12-Tetraoxahexadecan-1-ol	Oral LD50 Rat 5175 mg/kg (Source: IUCLID); Dermal LD50 Rat >4000 mg/kg (Source: IUCLID)

**Target Organs:** Skin, Eyes, Kidneys  
**Carcinogenicity:** Not a carcinogen according to NTP, IARC, or OSHA.  
**Mutagenicity:** Not known or reported to be mutagenic.No data available to indicate product or any components present at greater than 0.1% is mutagenic or genotoxic.  
**Reproductive Toxicity:** Not known or reported to cause reproductive or developmental toxicity.  
**Skin Sensitization:** No data available to indicate product or components may be a skin sensitizer.

Chemical Listed as Carcinogen or Potential Carcinogen	Source Agency
Not applicable	ACGIH- Threshold Limit Values- Carcinogens
Not applicable	IARC Carcinogen
Not applicable	NTP- Report on Known Human Carcinogens

# Safety Data Sheet

Not applicable	NTP- Report on Reasonably Anticipated to be Human Carcinogens
Not applicable	U.S. - OSHA - Hazard Communication Carcinogens

## XII. ECOLOGICAL INFORMATION

<b>Overview:</b>	This material is not expected to be harmful to the ecology.
<b>Mobility:</b>	This material is expected to have essentially no mobility in soil. It absorbs strongly to most soil types.
<b>Persistence:</b>	Biodegradation, adsorption to sediment, and bioconcentration to aquatic organisms should not be significant.
<b>Bioconcentration:</b>	Bioconcentration is not expected to occur.
<b>Degradability:</b>	Does not biodegrade readily.

## XIII. DISPOSAL CONSIDERATIONS

<b>Disposal of Packaging:</b>	Recycle containers whenever possible.
<b>Disposal Methods:</b>	Dispose of according to Federal, State, Local, or Provincial regulations.

## XIV. TRANSPORTATION INFORMATION

Not classified as hazardous for transport (DOT, TDG, IMO/IMDG, IATA/ICAO).

## XV. REGULATORY INFORMATION

Chemical Name	Regulation	CAS #	% Range
None.	CERCLA RQ		
None.	SARA 313		
None.	SARA 302-EHS		
None.	CA Prop 65 – Cancer		
None.	CA Prop 65 - Dev. Toxicity		
None.	CA Prop 65 - Reprod –fem		
None.	CA Prop 65 - Reprod –male		
Diethylene glycol	Canadian WHMIS List	111-46-6	10 - 30

**Inventory- U.S. TSCA:** All components of this material are on the US TSCA Inventory or are exempt.

**OSHA Hazard Classification:** Eye irritant, Nephrotoxin - may cause kidney damage.

**WHMIS Classification:** D2B

**Inventory- Canada Domestic Substance List:** Present

<b>HMIS Ratings:</b>		<b>NFPA Ratings:</b>	
<b>Health:</b>	1	<b>Health:</b>	1
<b>Fire:</b>	1	<b>Fire:</b>	1
<b>Reactivity:</b>	0	<b>Reactivity:</b>	0
<b>PPE:</b>	B		

KEY: 0 - Least 1 - Slight 2 - Moderate 3 - High 4 - Extreme

# Safety Data Sheet

## XVI. ADDITIONAL INFORMATION

---

Superseded by: 9/17/2014 3:06:00 PM  
Revision Date: 12/31/2014 4:13:55 PM  
Prepared by: TPRUETT  
References: ACGIH: American Conference of Governmental Industrial Hygienists  
AIHA: American Industrial Hygiene Association  
CFR: Code of Federal Regulations  
DOT: United States Department of Transportation  
GHS: Globally Harmonized System of Classification and Labeling of Chemicals  
HMIS: Hazardous Materials Identification System  
IARC: International Agency for Research on Cancer  
IATA: International Air Transportation Association  
IDLH: Immediately Dangerous to Life or Health  
IMDG: International Maritime Dangerous Goods  
NFPA: National Fire Protection Association  
NIOSH: National Institute for Occupational Safety and Health  
NTP: National Toxicology Program  
OSHA: Occupational Safety and Health Administration  
PEL: Permissible Exposure Limit  
RTK: Right-to-Know  
SARA: Superfund Amendments and Reauthorization Act  
STEL: Short-term Exposure Limit  
TLV: Threshold limit value  
TSCA: Toxic Substances Control Act  
TWA: Time weighted average  
UN: United Nations  
WHMIS: Workplace Hazardous Materials Information System

Disclaimer: This safety data sheet and the information it contains is offered to you in good faith as accurate. We have reviewed any information contained in the data sheet which we have received from outside sources and we believe the information to be correct, but cannot guarantee its accuracy or completeness. Health and safety precautions in this data sheet may not be adequate for all individuals and/or situations. It is the user's obligation to evaluate and use this product in a safe manner and to comply with all applicable laws and regulations. No statement made in this data sheet shall be construed as permission or recommendation for the use of any product in a manner that might infringe existing patents. No warranty is made, either expressed or implied.